



BUILDING SPECIFICATIONS
GENERAL NOTES

- NOTES WHICH ARE APPLICABLE TO THIS JOB WHEN SHADED
- SUBNOTES WHICH ARE APPLICABLE WHEN SHADED

- 1 TYPE OF BUILDING
 - SELF FRAMING-SHED
 - SELF FRAMING-GABLE
 - RIGID FRAME GABLE
- 2 MATERIAL - WALL AND ROOF PANELS
 - GALVANIZED-22 ga
 - ALUMINUM-18 ga
 - PRE-PAINTED STEEL-22 ga
 - GALVALUME-22 ga
 - COLOUR: WALLS HARVEST GOLD ROOF HARVEST GOLD
 - DOORS BROWN TRIM BROWN
- 3 ROOF SLOPE
 - 1:12
 - 2:12
 - 3:12
 - 4:12
- 4 INSULATION - FIBREGLASS
 - WALLS
 - R-12
 - R-20
 - OTHER
 - ROOF
 - R-12
 - R-20
 - R-32
 - OTHER
- 5 LINING
 - 24 ga FLUTED ALUMINUM
 - 20 ga PERFORATED ALUMINUM
 - PAINTED WHITE
- 6 POLYETHYLENE VAPOUR BARRIER
 - 2 MIL
 - 4 MIL
 - 6 ML
- 7 DOORS
 - 914x2134
 - WS
 - WGW
 - PH
 - LS
 - DC
 - CC
 - CP
 - TH
 - SW
 - TS
 - 1829x2134
 - WS
 - WGW
 - PH
 - LS
 - DC
 - CC
 - CP
 - TH
 - SW
 - TS
 - WS - WEATHER-STRIPPING
 - DC - DOOR CLOSURE
 - PH - PANIC HARDWARE
 - LS - LOCKSET
 - CC - CHECK CHAIN
 - WGW - WIRE GLAZED WINDOW
 - TH - THRESHOLD
 - SW - DOOR SWEEP
 - CP - CANOPY
 - TS - REMOVABLE TRANSOM PANEL
- 8 WINDOWS - DOUBLE GLAZED HORIZONTAL SLIDING c/w BUG SCREEN
 - NO. 1
 - SIZE 914 Lg. x 914 H.
- 9 WALL LOUVERS
 - STAMPED LOUVER c/w SLIDE CLOSURE AND BUG SCREEN
 - 305x305 ADJUSTABLE LOUVER c/w MANUAL CONTROL AND BIRD SCREEN
- 10 RIDGE VENTILATOR c/w CHAIN OPERATED CONTROLS AND BIRD SCREEN
 - THROAT
 - LENGTH
- 11 ROLL-UP DOORS / SECTIONAL O/H DOORS / SLIDING
 - STEEL ROLL-UP
 - MANUAL
 - STEEL SECTIONAL O/H
 - CHAIN OPERATED
 - SLIDING
 - INSULATED
- 12 FANS - ROOF / WALL
 - ROOF
 - AIR CHANGES / HOUR
 - GENERAL PURPOSE
 - WALL
 - AIR CHANGES / HOUR
 - EXPLOSION PROOF
- 13 EAVES TROUGH DOWN SPOUT AND ICE RAKE
 - EAVES TROUGH
 - DOWN SPOUT
 - ICE RAKE
 - DORMER

NOTES

- ALL DIMENSIONS ARE IN MILLIMETRES.
- SHIP EAVES TROUGH AND DOWN SPOUTS SEPARATE.
- DRAWING IS NOT TO SCALE UNLESS PLOTTED "D" SIZE.
- SCADA PANEL IS TO BE INSTALLED IN A NON-HAZARDOUS LOCATION AT LEAST 3 METERS FROM ANY EQUIPMENT THAT CAN RELEASE HAZARDOUS VAPOURS.



ENGINEERING COMPANY PERMIT STAMP REGISTERED PROFESSIONAL ENGINEER STAMP

6		
5		
4		
3		
2		
1		
REF	DRAWING NUMBER	DRAWING TITLE
REFERENCE DRAWINGS		
1	2013/05/22	IFC FOR EWR 15759 BAR 11-0190
REV	DATE	DESCRIPTION
		BY
		CHK
		ENG
		APR

REVISION HISTORY



HOG GENERAL

TITLE
WATER TRANSFER SKID
ARCHITECTURAL

SURFACE LOCATION
L7 GENERAL

ALTERNATE DWG NUMBER	REV NO
HUSKY DWG NUMBER	1
VENDOR DWG NUMBER	SCALE
AMU/FLOC NUMBER	L7
DCN NO	PROJECT NO
	EWR 15759